



















# novoturf

# BRINGING THE FAMILY BACK TOGETHER THIS SUMMER

Our guide for Novoturf will help you choose and understand how Novoturf can change the look and versatility of any garden.

Choose from our 15 Ranges of Artificial Grass, with multiple widths available, reliable stock levels and next day delivery.

# ECGGREN 40MM



### **Product Specification**

SS
with
S

### **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium
Primary Backing	Double PP cloth
Secondary Backing	Recyclable Adhesive with drain holes
Water permeability	60L/min/m2
Pile height	40mm±1mm



Eco Friendly



8 years Warranty



No Pollen



No Mow



UV Resistant





# RIVIERA 43MM

# **Product Specification**

Product name	Riviera
Product type	Turfed Artificial Grass
Colour	Tri-color
Pile Material	PE
Number of stitches	9 Strands+8 Strands
Total weight	2590g/m²
Gauge	3/8inch
Application	Landscaping
Roll width	4m
Roll length	20-25m
Warranty	8 years
Stitch rate	18±1 stitch / 10cm

# **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium
Primary Backing	PP + Polyester fibre short-staple
Secondary Backing	Latex with drain holes
Water permeability	60L/min/m2
Pile height	43mm ± 1mm







8 years Warranty




No Pollen




No Mow



UV Resistant







# FAIRHAVEN 38MM

### **Product Specification**

Product name	Fairhaven
Product type	Turfed Artificial Grass
Colour	Bi-color
Pile Material	PE
Number of stitches	8 Strands+8 Strands
Total weight	2640g/m²
Gauge	3/8inch
Application	Landscaping
Roll width	4m/5m
Roll length	20-25m
Warranty	8 years
Stitch rate	21+1 stitch / 10cm

### **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium
Primary Backing	PP + Polyester fibre short-staple
Secondary Backing	Latex with drain holes
Water permeability	60L/min/m2
Pile height	38mm ± 1mm

# **KEY FEATURES**



Pet Friendly



8 year Warrar



No Poller



No Mow





# GOODWOOD 28MM

### **Product Specification**

Product name	Goodwood
Product type	Turfed Artificial Grass
Colour	Bi-color
Pile Material	PE
Number of stitches	8 Strands+8 Strands
Total weight	2295g/m²
Gauge	3/8inch
Application	Landscaping
Roll width	4m/5m
Roll length	20-25m
Warranty	8 years
Stitch rate	19±1 stitch / 10cm

### **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium
Primary Backing	PP + Polyester fibre short-staple
Secondary Backing	Latex with drain holes
Water permeability	60L/min/m2
Pile height	28mm ± 1mm

# **KEY FEATURES**







8 years Warranty




No Pollen



No Mow









# **AUGUSTA 38MM**

# **Product Specification**

Product name	Augusta
Product type	Turfed Artificial Grass
Colour	Bi-color
Pile Material	PE
Number of stitches	6 Strands+8 Strands
Total weight	1800g/m²
Gauge	3/8inch
Application	Landscaping
Roll width	4m
Roll length	20-25m
Warranty	6 years
Stitch rate	16±1 stitch / 10cm

# **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium
Primary Backing	PP + Polyester fibre short-staple
Secondary Backing	Latex with drain holes
Water permeability	60L/min/m2
Pile height	38mm ± 1mm

# **KEY FEATURES**



Friendly



8 yo Iy War



No Pollen



No Mov





# HAMPTON 28MM

### **Product Specification**

Product name	Hampton
Product type	Turfed Artificial Grass
Colour	Bi-color
Pile Material	PE
Number of stitches	8 Strands+8 Strands
Total weight	1205g/m²
Gauge	3/8inch
Application	Landscaping
Roll width	4m
Roll length	20-25m
Warranty	6 years
Stitch rate	15±1stitch / 10cm

### **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium
Primary Backing	PP+Mesh scrim inlay
Secondary Backing	Latex with drain holes
Water permeability	60L/min/m2
Pile height	28mm ± 1mm







8 years Warranty




Pollen



No Mow



UV Resistant







# **Product Specification**

Product name	Pinehurst
Product type	Turfed Artificial Grass
Colour	Bi-color
Pile Material	PE + PP
Number of stitches	8 Strands+8 Strands
Total weight	2510g/m <sup>2</sup>
Gauge	3/8inch
Application	Landscaping
Roll width	4m
Roll length	20-25m
Warranty	8 years
Stitch rate	15±1 stitch / 10cm

### **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium
Primary Backing	PP + Polyester fibre short-staple
Secondary Backing	Latex with drain holes
Water permeability	60L/min/m2
Pile height	40mm ± 1mm

# **KEY FEATURES**





Image for illustrative purpose only



8 years Warrant



No Pollen



No Mow



UV Resistant



# **AUSTIN 30MM**

# **Product Specification**

Product name	Austin
Product type	Turfed Artificial Grass
Colour	Bi-color
Pile Material	PE
Number of stitches	8 Strands+8 Strands
Total weight	2220g/m²
Gauge	3/8inch
Application	Landscaping
Roll width	4m
Roll length	20-25m
Warranty	8 years
Stitch rate	18±1 stitch/10cm

# **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium
Primary Backing	PP+Mesh scrim inlay
Secondary Backing	Latex with drain holes
Water permeability	60L/min/m2
Pile height	30mm ± 1mm







8 years Warranty




Pollen



No Mow



UV Resistant







# **Product Specification**

Product name	Colorado
Product type	Turfed Artificial Grass
Colour	Bi-color
Pile Material	PE
Number of stitches	9 Strands+8 Strands
Total weight	2305g/m²
Gauge	3/8inch
Application	Landscaping
Roll width	4m
Roll length	20-25m
Warranty	8 years
Stitch rate	15±1 stitch / 10cm

# **Carpet characteristics - Turf**

Free of lead and cadmium
PP + Polyester fibre short-staple
Latex with drain holes
60L/min/m2
33mm ± 1mm

# **KEY FEATURES**





Image for illustrative purpose only



8 years Warrant



No Pollen



No Mow



UV Resistant



# **OAKMONT 38MM**

### **Product Specification**

Product name	Oakmont
Product type	Turfed Artificial Grass
Colour	Dark green + Olive Green Beige + Green
Pile Material	PP + PE
Number of stitches	16800+10% / per m2
Total weight	3400g/sqm (+/–10%)
Gauge	3/8inch
Application	Landscaping
Roll width	4m/5m
Roll length	20-25m
Warranty	6 years
Stitch rate	25 stitch/10cm

### **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium
Primary Backing	100% PP UV-stabilized
Secondary Backing	Latex appr. 1000g/m2
Water permeability	60L/min/m2
Pile height	38mm + 5mm%







8 years Warranty



No Pollen



No Mow



UV Resistant





# **CYPRESS POINT 38MM**

# **Product Specification**

Product name	Cypress Point
Product type	Turfed Artificial Grass
Colour	Dark green + Olive Green Beige + Green
Pile Material	PP + NET
Number of stitches	16800+10% / per m2
Total weight	2930g/m²
Gauge	3/8inch
Application	Landscaping
Roll width	4m + 5m
Roll length	20-25m
Warranty	6 years
Stitch rate	25.2 stitch / 10cm

### **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium
Primary Backing	100% PP UV-stabilized
Secondary Backing	Latex with drain holes
Water permeability	60L/min/m2
Pile height	38mm + 5mm

# **KEY FEATURES**



Pet Friendly



8 years Warran



No Pollen



No Mov







# SANDHILL 28MM

# **Product Specification**

Product name	Sandhill
Product type	Turfed Artificial Grass
Colour	Dark green + Olive Green Beige + Green
Pile Material	PP
Number of stitches	16800 + 10% / per m2
Total weight	2490g/m²)
Gauge	3/8inch
Application	Landscaping
Roll width	4m/5m
Roll length	28m
Warranty	6 years
Stitch rate	24 stitch / 10cm

### **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium
Primary Backing	PP + PP
Secondary Backing	Latex appr. 1000g/m2
Water permeability	60L/min/m2
Pile height	28mm







8 years Warranty



No Pollen



No Mow



UV Resistant





# CADIZ 40MM

# **Product Specification**

Product name	Cadiz	
Product type	Turfed Artificial Grass	
Colour	Dark green + Olive Green Beige + Green	
Pile Material	PP	
Number of stitches	16800 +10% / per m2	
Total weight	2460g/m²	
Gauge	3/8inch	
Application	Landscaping	
Roll width	4m/5m	
Roll length	20-25m	
Warranty	6 years	
Stitch rate	18 stitches /10cm	

### **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium		
Primary Backing	PP cloth+Non woven		
Secondary Backing	Latex appr. 1000g/m2		
Water permeability	60L/min/m2		
Pile height	40mm + 1mm		

# **KEY FEATURES**



Pet Friendly

Image for illustrative purpose only



8 years Warrant



No Pollen



No Mov





# MUIRFIELD 27MM

### **Product Specification**

Product name	Muirfield		
Product type	Turfed Artificial Grass		
Colour	Dark green + Olive Green Beige + Green		
Pile Material	PP cloth		
Number of stitches	18900 +10% / per m2		
Total weight	2137g/m²		
Gauge	3/8inch		
Application	Landscaping		
Roll width	4m		
Roll length	20-25m		
Warranty	6 years		
Stitch rate	21 stitches /10cm		

# **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium		
Primary Backing	PP cloth+Non woven		
Secondary Backing	Latex appr. 1000g/m2		
Water permeability	60L/min/m2		
Pile height	25mm + 1mm		







8 years Warranty



No Pollen



No Mow



UV Resistant







# **Product Specification**

Product name	Sunningdale		
Product type	Turfed Artificial Grass		
Colour	Dark green + Olive Green Beige + Green		
Pile Material	PP cloth		
Number of stitches	1569 +10% / per m2		
Total weight	1569g/sqm (+/–10%)		
Gauge	3/8inch		
Application	Landscaping		
Roll width	4m		
Roll length	20-25m		
Warranty	6 years		
Stitch rate	22 stitch / 10cm		

# **Carpet characteristics - Turf**

Yarn quality	Free of lead and cadmium		
Primary Backing	PP cloth+Non woven		
Secondary Backing	Latex with drain holes		
Water permeability	60L/min/m2		
Pile height	18mm + 1mm		







8 year Warran



No Poller



No Mow



UV Resistant

# HOW TO LAY NOVOTURF **ARTIFICIAL GRASS**



### Prepare your garden

• Remove all turf, veg patches and surrounding rocks down to the bare earth



Remove enough soil to add a 25-40mm layer of sharp sand



Use a weed killer to kill weeds down to the roots



Use a turf cutter to make turf removal much easier

# Installing sub base and weed membrane

• A 25-40 mm Sub base of sand is installed



Nail or peg the weed membrane to the sand sub base

In some cases you may need to use a treated wooden border



Compress the area with a plate compactor, great for small areas




During dry conditions wet the sub base a day before installation

### Installing the grass

• Roll out the grass. All rolls will have a directional pile, please ensure that all the rolls are laid out in the same direction






\* If joining grass



Cut carefully into the backing and trim the artificial grass



Fix with adhesive or stainless screws to treated wooden timber edging or with stainless steel nails into the sub base

# Joining the grass

- Seaming tape is then used to join the cut rolls together
- Roll out the seaming tape along the seam line, ensuring equal laid centrally along the seam
- Before applying the adhesive, fix the seaming tape to the sub base with stainless steel nails

